



UNIVERSITY OF MAINE SYSTEM
OFFICE OF STRATEGIC PROCUREMENT

REQUEST FOR PROPOSAL #14-10
PHOTOCOPIER EQUIPMENT, SUPPLIES, AND SERVICE

ADDENDUM AND CLARIFICATION #1
February 1, 2010

ADDENDUM: Changes are underlined:

Page 15, Section 4.1 Change Segments 6, 7, and 8 Specification to read:

Segment 6: (Color): 25 CPM Console (25 CPM Color)

Segment 7: (Color): 40 CPM Console (40 CPM Color)

Segment 8: (Color): 50 CPM Console (50 CPM Color)

Attachment D: Is being amended to add two additional columns.
Attachment D (amended) is attached.


CLARIFICATION:

The following information is being provided as clarification in response to a question asked during the pre-proposal conference.

Question: How many copiers may not require fax boards?

Answer: We estimate that approximately 160 copiers may not require fax boards, however it should be noted that this is an estimate and may increase or decrease during the actual Contract implementation. Additionally, as per section 3.12 "If a department chooses not to include all the available options the cost-per-copy will not change and if the department later chooses to add those options they will be added at no cost to the University", applies in cases where fax boards are not installed during the initial implementation. Should a copier without a fax board be relocated to another department under this Contract, and faxing is required, the fax board shall be added at no additional cost to the University.

END


Anne-Marie Nadeau, C.P.M.
Strategic Procurement Specialist